## OPERATING INSTRUCTIONS MOOVER





www.MOOVER.eu

V\_01 / REVISION: 25. 06. 2025 / EN



#### **Contents**

### - MOOVER operating instructions

General Information	02
Included with the Delivery	03
MOOVER's Principle of Operation	04
Stacking System Operating Principle	05
Preparations Before Installation	06
Installing the Stacking System	08
MOOVER Preparation Before Installation	12
MOOVER Installation	15
Pairing the Remote Control	20
LED Panel Animation	21
MOOVER Maintenance Instructions	22
What to do if	24
Detailed Specifications and Liability for Defects	26
Charging Process and Principle	27
Replacing the Battery	28
Replacing Fuses	30
List of Connectors	31
Preparing the Enclosure Before Using the Moover Electric Sliding System	32

Thank you for purchasing the MOOVER electric drive.
We are sure that you will be completely satisfied with it and that it will serve you well.

We have listened to you, and we have looked at the existing solutions the market has to offer, all with a clear goal — to offer the best way to automatically set your pool enclosure in motion. THE MOOVER is quiet and smooth in operation; it is remotely controlled and is charged using a solar panel that is part of the electric drive. Its installation is easy enough that you can mount it yourself (we recommend using a professional company) onto any new or existing standard enclosure, except enclosures with a negative side surface angle. For custom enclosures, it is necessary to fix 1063-mm pitch screws to the support profiles or solid side surface. If the enclosure design does not meet this requirement, THE MOOVER cannot be installed! For single-side rail enclosures, always install THE MOOVER on the track side. We do not recommend mounting it on any no-line enclosure.

These operating instructions provide information on the operation and maintenance of the MOOVER electric drive for pool enclosures. All the information provided in this edition of the manual is based on the latest knowledge and product data available at the time of publication. ALBIXON a.s. reserves the right to make changes at any time without prior notice without this extending the scope of its responsibilities. No part of this edition of the manual may be reproduced without the written consent of ALBIXON a.s. or its exclusive dealer. These instructions should be seen as part of the electric drive and should be kept with the product if it is resold.

The MOOVER electric drive for pool enclosures is designed to guarantee safe and reliable operation when the instructions below are followed. **Before putting the electric drive into operation, read this manual carefully and familiarize yourself with the proper operation of the device** to prevent serious injury or damage to the enclosure. Any failure to observe the maintenance and operating guidelines specified in the operating instructions, not using original spare parts and accessories or any tampering will void the warranty.

#### **General Information**

#### - instructions, installation and use

This manual contains instructions for the safe installation, commissioning and actual use of the MOOVER electric drive. The manual shows the only correct procedure for installation by the user. Should you have any questions regarding the installation or find any ambiguities in the manual, please contact the manufacturer. Occupational health and safety regulations must be observed during installation (e.g. using gloves, goggles, etc.). Any modification or removal of original MOOVER components is not permitted. During installation and commissioning, make sure that all MOOVER components are properly mounted in their place and that there are no other persons or objects in the travel path that could collide with the sliding assembly. The surface under the MOOVER wheel must be clean and the construction horizontal longitudinal flatness of the base must be maintained +/- 2 mm over two meters, where tracks will be installed that copy this flatness of the base, so that no arc-shaped unevenness occurs along the entire length, which would prevent the movement of the roofing and subsequently the MOOVER. The electric drive is only able to overcome an obstacle on the pad in the travel path with a height of +/- 8 mm. For obstacles with a greater height, the correct travel functionality can no longer be guaranteed. Surge protection ensures that the device is switched off in the event of contact with an obstacle – however, it does not prevent a collision with an obstacle. The behaviour of the product may vary depending on ambient conditions, which may differ from those during installation.

For the MOOVER to function properly, you must have a stacking system installed. If you do not have this system as part of your enclosure, it must be installed before the MOOVER is commissioned. The installation parts are sold as separate accessories. The exact installation procedure is described in the chapter "Installing the Stacking System".

The MOOVER must not be put into operation until you have carefully read all the instructions for use and installation, safety instructions and other information contained in this manual. Lack of awareness can result in serious accidents – fire, electric shock, severe injury or even death. Keep this manual for future reference and review it every once in a while. Also make sure that others who may use this device are properly instructed as well in order to ensure safe operation.

As the main purpose of the electric drive is to open and close the enclosure, extra care is needed to avoid hazards to people, animals and items in the vicinity.

The manufacturer is not liable for any damage to the device or for any legal consequences of such damage, if the damage is caused by use that does not comply with the operating instructions. The MOOVER device complies with Government Regulation No. 176/2008 Coll., on technical requirements for machinery (Directive 2006/42/EC of the European Parliament and of the Council), Government Regulation No. 117/2016 Coll., on the assessment of conformity of products with regard to electromagnetic compatibility when placed on the market (Directive 2014/30/EC of the European Parliament and of the Council), Government Regulation No. 118/2016 Coll., on the assessment of conformity of electrical equipment intended for use within certain voltage limits when placed on the market (Directive 2014/35/EC of the European Parliament and of the Council). A declaration of conformity is issued for the device.


To ensure effective charging via the solar panel, we recommend that THE MOOVER is placed in such a way that the panel surface is perpendicular to solar radiation at the time of its greatest intensity. The most typical case of MOOVER installation is on the swimming pool enclosure. For the placement of THE MOOVER, choose the part of the enclosure that faces south, south-west or south-east. The device may also be installed on entirely west- or east-facing sides of the enclosure, but at the cost of a loss in energy yield of about 20%. The solar panel on the MOOVER is positioned horizontally with an inclination of 25°. In some installation areas with more pronounced biological exposure (surrounding trees, bushes, etc.), the panel's self-cleaning ability may decline over time and so regular maintenance is needed. The PV panel is affected by weather and environmental conditions such as air pollution, high or low temperatures and UV exposure. Neglecting maintenance of the PV panel will cause a loss of its output! The panel is cleaned to a degree by rain and wind, but these do not remove all the dirt from the panel surface and on the module the dust settles permanently. The result is permanent soiling that can only be removed with special products.

#### The most common type of dirt deposits:

The tilt of the panel is not enough to ensure that it is completely cleaned of dirt by rain and wind. In urban environments, dust, grease and various chemicals deposit on the panel from exhalations; near fields and meadows, pollen, dust and bird droppings stick to the panel. When the solar panel gets soiled, use a soft clean sponge, always properly soaked in water with the addition of a few drops of a preferably neutral detergent or a mild soap solution. Other external parts of the MOOVER can be cleaned with common cleaning agents suitable for coated metal parts. CAUTION – Never clean the MOOVER device with pressurized water (risk of damage to the internal electronics). In winter, we recommend dismantling the entire MOOVER system to protect the solar panel from soiling and especially the battery from exposure to cold temperatures.

## **Included with the Delivery**

#### - list















#### **Accessories**



Rubber stop – stacking system [2Z13-01-ST038] 1 set = 4 rubber stops (number of sets according to the number of enclosure modules)



[2Z13-01-ST006] 1 set = 2 stacks (number of sets according to the number of enclosure modules)



### **MOOVER's Principle of Operation**

## - opening and closing the enclosure

The MOOVER electric drive is used to open and close the pool enclosure. The movement of the electrically powered enclosure is controlled by a remote control. To meet strict AFNOR safety standards, a remote control button in "dead man" mode was chosen. This means that the MOOVER operator must press and hold the control button for the selected direction (opening or closing) for the entire travel of the enclosure. If there is an imminent collision, the enclosure is immediately stopped by simply releasing the button.

If the operator of the enclosure travel does not release the control button, the enclosure movement will stop immediately in its extreme position (mechanical stop on the enclosure rail) by triggering the control unit's surge protection. In this enclosure position and device control status (with the remote control button still pressed), the drive wheel of the device may slip. This can cause increased wear and tear on the tread of the wheel and a corresponding reduction of its service life.



**Automatically – using the MOOVER**Use the remote control for automatic movement



#### Manually – using human power

For manual sliding, the wing nut must be unscrewed to release the wheel pressure (see MOOVER Installation, Fig. on page 14) – we recommend dismounting the MOOVER if operated manually on a long-term basis (risk of wheel wear).

### **Stacking System Operating Principle**

## - opening and closing the enclosure

The stacking system aids automatic collection of the (individual and telescopically arranged) modules when the enclosure travels between its extreme positions. These correspond to positions with the enclosure fully open or fully closed. This system facilitates automatic movement of all enclosure modules between these positions (with the system in the ON position) and also easy disengagement of this arrangement (with the system in the OFF position).

If the latches of the individual modules are locked (system position ON), sliding the first (top) enclosure module will also automatically move all the remaining modules to the desired extreme position of the enclosure.

The system's OFF position allows access to the pool by simply manually pushing the internal enclosure module aside (thus disengaging it from the coupling system).

If you do not have a stacking system installed on the enclosure by default, stacking bases and rubber stops must be installed on the individual modules (see the chapter Installing the Stacking System onpage 08).



## **Preparation Before Installation**

#### - requisites

#### **Preparation of Tools for MOOVER Installation**

Installation must take place in suitable weather conditions (no rain or strong winds, etc.) and there must be no persons using the pool during the installation.



CAUTION! When drilling, ensure that metal chips do not fall into the pool (e.g. use a pool cleaner to suck them out while drilling).




# M())VER




#### **Installing the Stacking System**

## - stacking installation

For ALBIXON a.s. enclosures, this chapter does not apply to SYDNEY and Casablanca Infinity single-rail enclosures (in these the stacking system is already factory-installed). For enclosures of other manufacturers, do not install the stacking system on enclosures with an already factory-installed integrated stacking system.







Use the stacking base as a template to mark the



Mark two spots for drilling holes in the



Pre-drill holes with a diameter of 3.5 mm in



Attach the stacking base to the holes and


CAUTION! For ALBIXON a.s. enclosures, place the stack at least 100 mm from the bottom edge of the arch (applies to all types of enclosures except CASABLANCA INFINITY and SYDNEY enclosures).


For CASABLANCA INFINITY and SYDNEY enclosures (minimum heights), place on the arch at least 100 mm from the corner towards the centre of the enclosure (the joint of the arch and the leg).


For other manufacturers' enclosures, the position must be chosen so that it does not collide with the functional elements of the enclosure.

## **Installing the Stacking System**

- installation of rubber stop










that it is **on the same level as the marked part** of the "latch" and in the middle of the enclosure **profile**. Make sure that the enclosure modules are



Mark this position and pre-drill a hole with a diameter of 3.5 mm and then 5.5 mm to a



Screw the rubber stop onto the enclosure structure using a C6.3x38 AN9051 screw.



a position that the stack is behind the stop



towards the enclosure structure. **CAUTION! After** setting the stacking stop, check over the full length


#### **MOOVER Preparation Before Installation**


#### - checks before installation

#### **Connecting the Adapter and Checking the Battery Status**


Before the actual installation, MOOVER must be charged to full capacity (100% power status


See the chapter LED Panel Animation on page 21.











#### **MOOVER Preparation Before Installation**


#### - checks before installation



Before proceeding with the installation, you must test the MOOVER's functionality.



mount it directly on the sliding door)




Unfasten the straps with the padding and slide out the attached metallic front cover

#### **MOOVER Preparation Before Installation**

#### - checks before installation



Slide the top cover upwards and disconnect the solar panel (beige) and LED panel (dark grey) connectors from the control unit. CAUTION! — Be sure to pull at the connector, not by the cable Otherwise this may damage the cable. Put the cover and the battery in a safe place to prevent damage during subsequent handling.




Disconnect and slide out the power unit to reduce weight and for easier handling. CAUTION! Disconnect the connector strictly by pulling at the connector body, not by the cable.


#### **MOOVER Installation**

#### - commissioning

Before installation, check that your existing enclosure slide works without any problems on a standalone basis (without THE MOOVER). **Only carry out the installation in suitable weather conditions (no rain or strong winds, etc.).** Inspect the enclosure surface at the spot where the template is about to be attached and clean and degrease as needed so that the adhesive tape of the template holds firmly after sticking. We also recommend that you lock the latch of the largest module on which the MOOVER will be installed so that it does not move around during installation.



We recommend always mounting on the side of the module without the side entry. If the side with the side entry (\*) is chosen, it is necessary to install the MOOVER at the side entry on an auxiliary bracket (3A05-01-002), which is not included with the delivery. The electric sliding system cannot be mounted directly on the sliding door.




There are four placement options for enclosures without a side entry.


**CAUTION! The** MOOVER can be placed on both sides of the largest enclosure module except near the closed position of the sliding door.



Fasten the STRAPS with padding between the template and the MOOVER. CAUTION: Remove the padded straps only after completing the assembly (see Figure 15, page 19). The spacing between the MOOVER device and the floor surface should be 12 mm.



Check that the bases of the bracket in the arms are fixed in the middle of the oval



Tilt the two bracket arms towards the enclosure structure to the spot where the attachment




bracket arms. CAUTION! Position the template in such a way that the drilled holes do not interfere with the enclosure running wheel.




Move the MOOVER aside so that it does not




Sydney ENCLOSURE: Using the template, cedure. For SYDNEY enclosures, the MOOVER device is to be placed at least 100 mm from the edge of the module. CAUTION! Mark the two



dure. Always drill exactly to the middle of the damage (cracking of the enclosure panels). CAUTION! Mark the top and bottom holes.



Remove the template and verify that the marked spots are actually in the middle of the profile. Then pre-drill holes with



Drill the final holes with a diameter of 5 mm.







Screw the two bracket bases in the pre-drilled positions on the enclosure structure using the screw (position 5 for SYDNEY, position 6 for other enclosures). CAUTION! Check the correct orientation of the base – the oval hole must be facing upwards and the round hole downwards.




the bracket bases.



Tighten both arms of the bracket in the de-







Remove the straps and padding. Insert and connect the power supply unit.



Check that the enclosure is unlatched, then use the remote control to move the MOOVER and travel the entire length of the track for verification (the button must be held until the slide




Connect the solar panel connector (beige) and the LED panel connector (dark grey) to the control unit and then attach the cover with the solar panel and LED panel and close the front


## **Pairing the Remote Control**

## - procedure

This procedure applies should the remote control that is supplied not work, or when purchasing a new remote control







#### **LED Panel Animation**

## - explanations

#### The different states of THE MOOVER are indicated by animations:



#### **MOOVER Maintenance Instructions**


## - necessary procedure

The procedures outlined in this manual are necessary to maintain the motion characteristics of the equipment and its long service life. These steps ensure the protection of the outer surfaces of the structure and all mechanisms of the device. Regular inspections of the travel must be carried out during the bathing season and also before reassembly. Measures must be taken immediately after a problem with the device is detected.

#### How to carry out regular checks:

- Verify that no element of the device has been damaged. Battery checking that we keep the battery charged
- Verify that the existing sliding mechanism of your enclosure works on a standalone basis without the MOOVER.
- Check all screws. If necessary, tighten or replace defective ones (pay close attention in particular to the ones in the lower part of the MOOVER).
- Check the wheel visually for significant wear and lightly clean the accessible elements. (do not grease the wheels or any other parts with lubricant)
- Check that the track is clear for drive movement, with a clearance of at least 30 cm in all directions, and remove any obstacles if needed.
- Safe space: For the movement of the MOOVER and the operator.

  Hazard area: During installation, 50 centimetres around the MOOVER, and 30 centimetres around the MOOVER throughout its movement track when in use. This area must be kept free of personnel and obstacles that could hinder the movement of the MOOVER, such as rubble, branches, dirt, leaves, pine needles, etc.



**CAUTION!** There is a risk of injury to persons moving in the hazard area. In the event of obstacles in the hazard area, there is a risk of damage to the MOOVER device.

#### **MOOVER Maintenance Instructions**

#### - necessary procedure

#### Winterization:

- ⇒ For the winter, we recommend dismantling the entire device and placing it in an environment with a temperature above 10°C, but if it remains installed on a roof, it is at least necessary and important to release the pressure of the wheel in the device by hand, see the opposite during assembly, Fig. 14, p. 18. However, it is necessary to regularly charge the batteries stored in the Battery pack and keep it charged during the winter and in an environment above 10°C.
- So if you do not want to dismantle the entire Moover and just remove the Battery pack with batteries, we recommend purchasing our external charger, which will allow you to easily check the battery status via LED indicators and subsequently recharge it as needed.
- Otherwise, it is necessary to take the removed Battery pack once a month and insert it into the device and connect the supplied power source (charger) and charge the batteries through the device and after checking or recharging, then take the Battery pack back to an environment above 10°C.
- Here, add the item number 2Z13-01-ST023 MOOVER Battery pack 2 and a suitable picture or more pictures of the charger with the battery pack connected.
- 1 It is advisable to keep the battery charged throughout the year by occasionally recharging it.

#### Before reassembly:

- We put the device into operational condition by returning and connecting the battery pack with fully charged batteries and checking the device assembly by returning and lining up the MOOVER straps, see points 13 to 17, pages 18 and 19. We set the wheel pressure, connect the battery pack, etc.
- Verify that your enclosure travel works even without the MOOVER mounted.
- Ensure that the surface for the travel is smooth and free of obstacles.

#### After reassembly:

Use the controller to travel the entire length of the track (Fig. 16, page 19).

ALBIXON a.s. is not liable for any malfunction of the drive in the event of unauthorized changes to the drive settings or any of the safety features.

#### What to do if...

#### - troubleshooting

#### The MOOVER starts to grind against the floor:

Loosen the bracket base screws (Fig. 11, page 18), remove the top cover and tighten the spring – this will raise the MOOVER. Then tighten the screws again and check that they are at the same height on both sides, and also check perpendicularity to the floor (see Figures 12 and 13, page 18).

#### The wheel starts to slip:

Remove the top cover and tighten the wheel. Do it cautiously and gradually, with one turn of the wing nut at a time until the wheel starts to engage.

#### The LED panel displays the "end of travel" animation before the end of the track is actually reached:

Check the condition of the rails and the track surface and remove obstacles if necessary. If the problem persists, the drive may be overloaded because of a crooked floor or rails. If that is the case, the wheel must be loosened (we recommend by  $180^{\circ}$ ).

Loosen the wheel by turning the wing nut on the spring – always turn it by 180° at a time and continue to loosen in equal steps as needed.

#### The wheel levitates:

If the base and subsequently the track show a longitudinal arc-shaped unevenness, which blocks or slows down the roofing on the track and subsequently prevents the movement of the MOOVER, it is possible to ask AX to attach the windproof hooks - this can only be done by an experienced and trained person from our service and is not a defect in the MOOVER device, but a failure to comply with the construction preparation.

Loosen the wheel as far as it goes and adjust the position of the base – to the down stop (see Fig. 11, page 18). Close the MOOVER and test the travel. Lower the arms inside the MOOVER (internal screws – see Fig. 12, p. 18). Close the MOOVER and test the travel. Now tighten the wheels (see Fig. 14, page 18).



## **Detailed Specifications and Liability for Defects**


## - specifications


Category	Property concerned	Value	Notes
Dimensions	Length	1157 mm	
	Width (without handles and external connectors)	80 mm	
	Width (with mounting handles)	110 mm	
	Height	163 mm	With retracted wheel.
Weight	Weight of THE MOOVER (with battery)	27 kg	
	Weight with packaging	30 kg	
Electronics: power supply	THE MOOVER's standby time (the value is only approximate – without the aid of the integrated solar panel)	Up to 800 hours	In ideal conditions and at 100% charge.
	Remote control standby time (the value is also approximate)	Two years	In ideal conditions.
	Maximum voltage in the system	18 V	Integrated solar panel circuit – the voltage depends on ambient conditions.
	Rated voltage of the main battery	12 V	
	Maximum voltage of the main battery	14.4 V	Only during charging.
	Capacity of the main battery	18 Ah	
	Maximum charging current of the integrated solar panel	7.5 W	
	Battery type (2 × battery – 18V 9Ah)	Pb	Dimensions: Length – 151 mm, WIDTH– 65 mm, Height – 94 mm, Height with connectors – 98 mm
	Charging adapter	18 V, 3.33 A, 60 W	
	INPUT	00 – 240 VAC 50/60Hz, 1.4A	
	OUTPUT	18 VDC, 3.33 A, 60 W MAX.	
Electronics: antenna	Band	2.4 GHz	
	Range	15 to 20 m	Depending on ambient conditions.
	Maximum number of paired remote control transmitters	10	When another remote control is paired, the first paired remote contro is automatically dropped.
Drive	Gearbox type	Auger	
	Motor output power	114 W-225 W	
Safety features	Current load limitation – software-based	-	Depending on firmware settings.
	Current load limitation – hardware-based	15 A fuse	
Equipment protection	IP coverage	IPX4	
Operating Conditions	Maximum height difference of the floor	8 mm	
	Minimum floor width from the edge of the enclosure (as opposed to the rail edge)	120 mm	

The conditions for liability for defects are governed by the warranty claim rules of ALBIXON a. s.


## **Charging Process and Principle**

#### - instructions









#### Possibility to charge batteries using an external charger





**CAUTION!** The power adapter must be placed as far away from the pool as possible.

## **Replacing the Battery**

#### - instructions

For replacement, we recommend that you purchase batteries designed specifically for the MOOVER device from the original equipment dealer, or contact your equipment dealer for a complete replacement.

The MOOVER device contains a 2  $\times$  12 V 9 Ah lead acid battery with dimensions 151  $\times$  65  $\times$  94 mm (1SZ30-01-003- Battery Ultracell UL9-12 F2 (12V - 9Ah)).

#### **Battery Disposal**

We pride ourselves on being environmentally friendly. Therefore, we remind you that old and spent batteries do not belong in unsorted municipal waste, but should be delivered to collection points or the so-called take-back points, from which they go for reuse or recycling.


#### CAUTION!

28 / MOOVER Operating Instructions

When replacing the battery, both new batteries must be charged to the same 12 V and have the same capacity; otherwise there is a risk of damaging the control unit or fire in the MOOVER device.

The batteries must not be short-circuited.













Disconnect the connector leading from the battery to the control unit.




Pull the power unit out upwards and place it




Release the lid of the power unit by slightly flipping the latches on the left- and right-



Flip out the lid of the power unit and set it





To connect the new batteries, follow this procedure in reverse order – from Figure 8 to Figure 1.


## **Replacing Fuses**

## instructions


















#### **List of Connectors**

## - description
















- red cable to the + connector (marked in red)
- black cable to the connector (marked in black

Fuse used: fusible blade fuse 15 A



!

**CAUTION!** Disconnect the connector strictly by pulling at the connector body, not by the cable.

## Preparing the Enclosure Before Using the MOOVER Electric Sliding System

- Unlatch all enclosure modules.
- Check that there are no obstacles in the track course that could cause problems during movement.
- The MOOVER operator retreats to the safe zone (see diagram on page 22) and from there can activate the device with the remote control.

#### Using the MOOVER electric drive:

- Press and hold button 1 or 2 to activate the MOOVER device and the enclosure will start moving in its path (as soon as the button is released, the MOOVER stops).
- The direction of the movement of the MOOVER will be shown accordingly by the LED panel (see the chapter LED Panel Animation page 21).
- When the enclosure reaches the end of the track in its movement, release the button on the remote control (if you don't do this in time, the MOOVER surge protector will trigger and stop the movement automatically) and lock the enclosure in the extreme position.



- 1 Button 1 activates THE MOOVERand the enclosure starts moving to the right/left (depending on the side of the MOOVER installation).
- 2 Button 2 activates THE MOOVERand the enclosure starts moving to the right/left (depending on the side of the MOOVER installation).

#### **Description of pictograms**



**W026**Warning; Battery charging



**W024** Warning; Crushing of hands



**M006**Disconnect mains plug from electrical outlet



P010 Do not touch The minimalist look, which matches all shades of enclosures, will become a design enhancement of your garden.



## Thank you for using our products.





www.MOOVER.eu

The photographs used in this manual are for illustrative purposes only Typesetting and printing errors reserved